

PresCal™ Pressure Reducing Valve

535H Series © Copyright 2023 Caleffi

Revit Content Instructions Guide

Manufacturer & Product: Caleffi 535H PresCal Pressure Reducing Valve

Files: Preadjustable_Pressure_Reducing_Valve-PresCal-Caleffi-Brass-535H.rfa

Type Catalog: Preadjustable Pressure Reducing Valve-PresCal-Caleffi-Brass-535H.txt

Rendering file: Not Applicable Schedule file: Not Applicable



- 0.5in. Sweat 535940HA
- 0.5in. Sweat w/Pressure Gauge
- 0.5in. FNPT_535340HA
- 0.5in. FNPT w/Pressure Gauge
- 0.5in. Press_535360HA
- 0.5in. Press w/Pressure Gauge
- 0.75in. Sweat 535950HA
- 0.75in. Sweat w/Pressure Gauge
- 0.75in. FNPT_535350HA
- 0.75in. FNPT w/Pressure Gauge
- 0.75in. Press 535650HA
- 0.75in. Press w/Pressure Gauge
- 0.75in. PEX Crimp_535750HA
- 0.75in. PEX Crimp w/Pressure Gauge_535751HA
- 0.75in. PEX Expansion 535550HA
- 0.75in. PEX Expansion w/Pressure Gauge_535551HA
- 1in. Sweat_535960HA
- 1in. Sweat w/Pressure Gauge
- 1in. FNPT 535360HA
- 1in. FNPT w/Pressure Gauge
- 1in. Press_535660HA
- 1in. Press w/Pressure Gauge
- 1in. PEX Crimp 535760HA
- 1in. PEX Crimp w/Pressure Gauge 535761HA
- 1in. PEX Expansion 535560HA
- 1in. PEX Expansion w/Pressure Gauge 535561HA
- 1.25in. Sweat_535970HA
- 1.25in. Sweat w/Pressure Gauge
- 1.25in. FNPT 535370HA
- 1.25in. FNPT w/Pressure Gauge
- 1.25in. Press_535670HA
- 1.25in. Press w/Pressure Gauge
- 1.5in. Sweat_535980HA
- 1.5in. Sweat w/Pressure Gauge
- 1.5in. FNPT 535380HA
- 1.5in. FNPT w/Pressure Gauge
- 1.5in. Press_535680HA
- 1.5in. Press w/Pressure Gauge
- 2in. Sweat 535990HA
- 2in. Sweat w/Pressure Gauge
- 2in. FNPT w/Pressure Gauge





- 2in. Press 535690HA
- 2in. Press w/Pressure Gauge

Instance Properties

Here is a curated list of notable parameters for the Revit user within the OBCaleffi 535H PresCal Pressure Reducing Valve family.

Construction	
UV Protection Cover (default)	This controls the visibility of the UV protection cover.
Mechanical - Flow	
Design Flow Rate (default)	This tells you the flow that this component is reading in the system.
Flow Warning (default)	This tells you a warning if the flow rate exceeds the maximum allowable.
Mechanical - Loads	
Pressure Drop Feet of Water (default)	Specify the pressure drop in feet of water.
System Pressure Drop (default)	This tells you the system pressure drop.
Mechanical	
Differential Pressure (default)	Specify the differential pressure.

Type Properties

Here is a curated list of notable parameters for the Revit user within the OBCaleffi 535H PresCal Pressure Reducing Valve family.

Materials	
Seat Material	Metal - Caleffi - Stainless Steel
Valve Body Material	Metal - Caleffi - Brass
Pressure Operating Knob Material	Plastic - Caleffi - Black
Pressure Operating Knob UV Protection Material	Plastic - Caleffi - Black
Pressure Gauge Material	Metal - Caleffi - Stainless Steel

Identity Data	
Assembly Code	D3040
Contact URL*	http://www.caleffi.com/usa/en-us/contacts/contact-us
Copyright*	©Caleffi North America
Cost	
Description	Pre-adjustable pressure reducing valve with or without pressure gauge
Family Version*	1
Keynote	
Manufacturer	Caleffi North America, Inc.
Model	535691HA
Product Page URL*	https://www.caleffi.com/usa/en-us/catalogue/prescaltm-pressure-reducing-valve-low-lead-pre-adjustable-535940ha
Type Comments	
Type Image	
Series*	535H Series
Standards*	ASSE 1003; CSA B356; NSF/ANSI/CAN 372; NSF/ANSI/CAN 61; Reduction of Lead in
	Drinking Water Act; S.3874; UL 2043
URL	https://www.caleffi.com/usa/en-us

Halftone text in the property tables indicates that the value is locked from editing.

Rendering

Note: Standard Caleffi materials are imported. These may be modified, but please ensure that the modification selection matches an actual manufacturer supplied option.



^{*}Indicates Shared Parameter and can be scheduled

Loading and Placing into the Project

To work with the OBCaleffi 535H PresCal Pressure Reducing Valve in Revit, a family and a type catalog are provided. Navigate to the Insert Tab > Load Family button on the Revit ribbon to load the family. Be sure the type catalog (.txt) file is located in the same folder as the family you are loading.

Please ensure that the visibility settings within the project are modified to have the Piping category visible.




Figure 1 - Insert Tab > Load Family




Figure 2 - Visibility/Graphic Overrides




Figure 3 - OBCaleffi 535H PresCal Pressure Reducing Valve

- A. 535H PresCal with Sweat tailpieces
 - Shown with UV Protection
- B. 535H PresCal with Sweat tailpieces
- C. 535H PresCal with FNPT tailpieces
- D. 535H PresCal with PEX Crimp tailpieces
 - Shown with UV Protection
- E. 535H PresCal with PEX expansion tailpieces
 - Shown with UV Protection
- F. 535H PresCal with Press tailpieces



Project Behavior

One way to place a OBCaleffi 535H PresCal Pressure Reducing Valve is to go to the Systems Tab on the Revit ribbon and navigate to the Component button with Place a Component fly-out selected.




Figure 4 - Systems Tab > Component > Place a Component




Figure 5 – The OBCaleffi 535H PresCal Pressure Reducing Valve family can be found under pipe accessories in the project browser and placed directly onto pipe of the same size. It will then read flows and consider pressure drop in the system. Options such as selecting the visibility of a UV Protection Cover are available.

Schedule Creation

Within the type and instance properties dialogues, the Revit user will find useful information for scheduling purposes such as Type, Part Description, Part Number/Model, Family Version, Manufacturer, Series, & Product Page URL. The resulting Pipe Accessories schedule in your project will show counts/quantities of the OBCaleffi 535H PresCal Pressure Reducing Valve as well as separate quantities/counts of any separately purchased accessory products that do not come in box with the OBCaleffi 535H PresCal Pressure Reducing Valve.





Caleffi North America, Inc. 3883 West Milwaukee Road Milwaukee, WI 53208 T: 414.238.2360 F: 414.238.2366