



CSI: DIVISION: 22 00 00—PLUMBING
Section: 22 40 00—Facility Water Distribution
Section: 22 09 00—Instrumentation and Control for Plumbing

Product certification system:

The ICC-ES product certification system includes testing samples taken from the market or supplier's stock, or a combination of both, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the supplier's quality system.

Product: Lead Free Plumbing Products

Listee: CALEFFI North America, Inc.
3883 W. Milwaukee Road
Milwaukee, WI 53208
www.caleffi.us

Compliance with the following standards:

NSF/ANSI/CAN 372 – 2022, Drinking Water System Components – Lead Content
Reduction of Lead in Drinking Water Act, California Health and Safety Code 116875
S.3874, Reduction of Lead in Drinking Water Act
Vermont Act 193 – The Lead in plumbing Supplies Law
Maryland's Lead-Free Law HB. 372

Identification:

Each product shall be marked with:

- The manufacturer's recognized name, trademark, or other mark; or
- Model number
- ICC-ES PMG lead free listing mark

Installation:

Products shall be installed in accordance with the manufacturer's instructions and the applicable codes.

Models:

Pressure Reducing Valve

535340HA	1/2", FNPT
535341HA	1/2", FNPT, w/gauge
535350HA	3/4", FNPT
535351HA	3/4", FNPT, w/gauge
535360HA	1", FNPT
535361HA	1", FNPT, w/gauge

535370HA	1-1/4", FNPT
535371HA	1-1/4", FNPT, w/gauge
535380HA	1-1/2" FNPT
535381HA	1-1/2" FNPT with gauge
535390HA	2" FNPT
535391HA	2" FNPT with gauge
535650HA	3/4", Press
535651HA	3/4", Press, w/gauge
535660HA	1", Press
535661HA	1", Press, w/gauge
535670HA	1-1/4", Press
535671HA	1-1/4", Press, w/gauge
535940HA	1/2", Sweat
535941HA	1/2", Sweat, w/gauge
535950HA	3/4", Sweat
535951HA	3/4", Sweat, w/gauge
535960HA	1", Sweat
535961HA	1", Sweat, w/gauge
535970HA	1-1/4", Sweat
535971HA	1-1/4", Sweat, w/gauge
535980HA	1-1/2", Sweat
535981HA	1-1/2", Sweat, gauge
535990HA	2", Sweat
535991HA	2", Sweat, gauge
535550HA	3/4" PEX expansion
535551HA	3/4" PEX expansion, gauge
533340HA	1/2" NPT
533341HA	1/2" NPT, gauge
533940HA	1/2" sweat
533941HA	1/2" sweat, gauge
533350HA	1/2" NPT
533351HA	1/2" NPT, gauge
533950HA	1/2" sweat
533951HA	1/2" sweat, gauge
533650HA	3/4" press
533651HA	3/4" press, gauge
533750HA	3/4" PEX crimp
533751HA	3/4" PEX crimp, gauge
533850HA	3/4" PEX expansion
533851HA	3/4" PEX expansion, gauge
535550HA	3/4" PEX expansion
535551HA	3/4" PEX expansion, gauge
535920HA	1-1/4" SWT, 1" body
535921HA	1-1/4" SWT, 1" body, gauge
535560HA	1" PEX exp, 1" body
535561HA	1" PEX exp, 1" body, gauge
535520HA	1-1/4" PEX exp, 1" body
535521HA	1-1/4" PEX exp, 1" body, gauge
535320HA 005	1-1/4" FNPT X 1-1/4" PEX exp, 1" body
535321HA 005	1-1/4" FNPT X 1-1/4" PEX exp, 1" body, gauge

535360HA 005	1"FNPT X 1" PEX exp, 1" body
535361HA 005	1"FNPT X 1" PEX exp, 1" body, gauge
535350HA 005	3/4" FNPT X 3/4" PEX exp, 1" body
535351HA 005	3/4" FNPT X 3/4" PEX exp, 1" body, gauge
533449HA	1/2"
533459HA	3/4"
533442H WMF	1/2"
533444H WMF	1/2"

Two Stage Pressure Reducing Valve

536043A 109	1/2" sweat 1st stage PRV
536053A 109	3/4" sweat 1st stage PRV
536063A 109	1" sweat 1st stage PRV
536073A 109	1-1/4" sweat 1st stage PRV
536083A 109	1-1/2" sweat 1st stage PRV
536093A 109	2" sweat 1st stage PRV
536043A 103	1/2" NPT female 1st stage PRV
536053A 103	3/4" NPT female 1st stage PRV
536063A 103	1" NPT female 1st stage PRV
536073A 103	1-1/4" NPT female 1st stage PRV
536083A 103	1-1/2" NPT female 1st stage PRV
536093A 103	2" NPT female 1st stage PRV
536053A 106	3/4" press 1st stage PRV
536063A 106	1" press 1st stage PRV
536073A 106	1-1/4" press 1st stage PRV
536083A 106	1-1/2" press 1st stage PRV
536093A 106	2" press 1st stage PRV
536044A 109	Pressure Reducing Valve, 1/2" sweat, 10-90 psi
536054A 109	Pressure Reducing Valve, 3/4" sweat, 10-90 psi
536064A 109	Pressure Reducing Valve, 1" sweat, 10-90 psi
536074A 109	Pressure Reducing Valve, 1-1/4" sweat, 10-90 psi
536084A 109	Pressure Reducing Valve, 1-1/2" sweat, 10-90 psi
536044A 103	Pressure Reducing Valve, 1/2" NPT female, 10-90 psi
536054A 103	Pressure Reducing Valve, 3/4" NPT female, 10-90 psi
536064A 103	Pressure Reducing Valve, 1" NPT female, 10-90 psi
536074A 103	Pressure Reducing Valve, 1-1/4" NPT female, 10-90 psi
536084A 103	Pressure Reducing Valve, 1-1/2" NPT female, 10-90 psi
536044A 106	Pressure Reducing Valve, 1/2" press, 10-90 psi
536054A 106	Pressure Reducing Valve, 3/4" press, 10-90 psi
536064A 106	Pressure Reducing Valve, 1" press, 10-90 psi
536074A 106	Pressure Reducing Valve, 1-1/4" press, 10-90 psi
536084A 106	Pressure Reducing Valve, 1-1/2" press, 10-90 psi

Model Number

Description

127142AFC	FlowCal balancing valve 1/2" PEX expansion, check
127143AFC	FlowCal balancing valve 1/2" PEX expansion, check, gauge
127148AFC	FlowCal balancing valve 1/2" sweat, check, gauge
127149AFC	FlowCal balancing valve 1/2" sweat, check
127152AFC	FlowCal balancing valve 3/4" PEX expansion, check
127153AFC	FlowCal balancing valve 3/4" PEX expansion, check, gauge
127156AFC	FlowCal balancing valve 3/4" press, check

127157AFC	FlowCal balancing valve 3/4" press, check, gauge
127158AFC	FlowCal balancing valve 3/4" sweat, check, gauge
127159AFC	FlowCal balancing valve 3/4" sweat, check
127162AFC	FlowCal balancing valve 1" PEX expansion, check
127163AFC	FlowCal balancing valve 1" PEX expansion, check, gauge
127168AFC	FlowCal balancing valve 1" sweat, check, gauge
127169AFC	FlowCal balancing valve 1" sweat, check
127252AF	FlowCal balancing valve 3/4" GHT
127341AF	FlowCal balancing valve 1/2" NPT
127349AF	FlowCal balancing valve 1/2" SWT
127351AF	FlowCal balancing valve 3/4" NPT
127356AF	FlowCal balancing valve 3/4" press
127346AF	FlowCal balancing valve 1/2" press
127366AF	FlowCal balancing valve 1" press
127359AF	FlowCal balancing valve 3/4" SWT
127361AF	FlowCal balancing valve 1" NPT
127369AF	FlowCal balancing valve 1" SWT
127369AF	FlowCal balancing valve 1" SWT
127344AF	FlowCal balancing valve 1/2" PEX crimp union
127354AF	FlowCal balancing valve 3/4" PEX crimp union
127364AF	FlowCal balancing valve 1" PEX crimp union
130400A	1/2" FNPT
130500A	3/4" FNPT
130600A	1" FNPT
130700A	1-1/4" FNPT
130800A	1-1/2" FNPT
130900A	2" FNPT
132432AFC	QuickSetter, 1/2" PEX expansion, 0.5 to 1.75 GPM
132433AFC	QuickSetter, 1/2" PEX expansion, 0.5 to 1.75 GPM, gauge
132438AFC	QuickSetter 0.5-1.75 GPM, 1/2" SWT w/temp probe and check valve
132439AFC	QuickSetter 0.5-1.75 GPM, 1/2" SWT w/check valve
132452AFC	QuickSetter, 1/2" PEX expansion, 2.0 to 7.0 GPM
132453AFC	QuickSetter, 1/2" PEX expansion, 2.0 to 7.0 GPM, gauge
132458AFC	QuickSetter 2-7 GPM, 1/2" SWT w/temp probe and check valve
132459AFC	QuickSetter 2-7 GPM, 1/2" SWT w/check valve
132532AFC	QuickSetter, 3/4" PEX expansion, 0.5 to 1.75 GPM
132533AFC	QuickSetter, 3/4" PEX expansion, 0.5 to 1.75 GPM, gauge
132536AFC	QuickSetter Flow Balancing Valve, 3/4" press, 0.5 to 1.75 GPM
132556AFC	QuickSetter Flow Balancing Valve, 3/4" press, 2.0 to 7.0 GPM
132552AFC	QuickSetter, 3/4" PEX expansion, 2.0 to 7.0 GPM
132553AFC	QuickSetter, 3/4" PEX expansion, 2.0 to 7.0 GPM, gauge
132537AFC	QuickSetter Flow Balancing Valve, 3/4" press, 0.5 to 1.75 GPM, gauge
132557AFC	QuickSetter Flow Balancing Valve, 3/4" press, 2.0 to 7.0 GPM, gauge
132632AFC	QuickSetter, 1" PEX expansion, 0.5 to 1.75 GPM
132633AFC	QuickSetter, 1" PEX expansion, 0.5 to 1.75 GPM, gauge
132538AFC	QuickSetter 0.5-1.75 GPM, 3/4" SWT w/temp probe and check valve
132539AFC	QuickSetter 0.5-1.75 GPM, 3/4" SWT w/check valve
132652AFC	QuickSetter, 1" PEX expansion, 2.0 to 7.0 GPM
132653AFC	QuickSetter, 1" PEX expansion, 2.0 to 7.0 GPM, gauge
132558AFC	QuickSetter 2-7 GPM, 3/4" SWT w/temp probe and check valve

132559AFC	QuickSetter 2-7 GPM, 3/4" SWT w/check valve
132637	QuickSetter body only, 0.5 to 1.75 GPM, without tailpieces
132638AFC	QuickSetter 0.5-1.75 GPM, 1" SWT w/temp probe and check valve
132639AFC	QuickSetter 0.5-1.75 GPM, 1" SWT w/check valve
132657	QuickSetter body only, 2 to 7 GPM, without tailpieces
132658AFC	QuickSetter 2-7 GPM, 1" SWT w/temp probe and check valve
132659AFC	QuickSetter 2-7 GPM, 1" SWT w/check valve
132636AFC	QuickSetter 1" press union 0.5 to 1.75 GPM
132656AFC	QuickSetter 1" press union 2 to 7 GPM
132637AFC	QuickSetter 1" press union, gauge, 0.5 to 1.75 GPM
132657AFC	QuickSetter 1" press union, gauge, 2 to 7 GPM
142241A	1/2" FNPT
142251A	3/4" FNPT
142261A	1" FNPT
142271A	1-1/4" FNPT
142281A	1-1/2" FNPT
142291A	Flow Balancing Valve, 2" NPT female
100001A	PT Test Port, 1-1/2" length, pair
252101ACST	3-way Therm Mixing Valve without Tail pieces
252148A	3-way Therm Mixing Valve 1/2" SWT w/probe and check valve
252149A	3-way Thermostatic Mixing Valve 1/2" SWT
252158A	3-way Therm Mixing Valve 3/4" SWT w/probe and check valve
252159A	3-way Thermostatic Mixing Valve 3/4" SWT
252168A	3-way Therm Mixing Valve 1" SWT w/probe and check valve
252169A	3-way Thermostatic Mixing Valve 1" SWT
520410A	1/2" NPT male union, gauge
520410AC	1/2" NPT male union, gauge, checks
520416A	1/2" Press union, gauge
520419A	1/2" sweat union, gauge
520419AC	1/2" sweat union, gauge, checks
520510A	3/4" NPT male union, gauge
520510AC	3/4" NPT male union, gauge, checks
520051A	Thermostatic Mixing Valve body, 1" union conn.
520509AX	3/4" FNPT tank, 18" flex hose, cross, sweat system
520519AX	3/4" FNPT tank, 18" flex hose, cross, sweat system, gauge
520500AX	3/4" FNPT tank, 18" flex hose, cross, MNPT system
520510AX	3/4" FNPT tank, 18" flex hose, cross, MNPT system, gauge
520506AX	3/4" FNPT tank, 18" flex hose, cross, press system
520516AX	3/4" FNPT tank, 18" flex hose, cross, press system, gauge
520516A	3/4" press
520516AC	3/4" press, check
520519A	3/4" sweat
520519AC	3/4" sweat, check
520061A	1" angle, body only
520610A	1" angle, NPT male union, gauge
520610AC	1" angle, NPT male union, gauge, checks
520616A	1" angle, press union, gauge
520616AC	1" angle, press union, gauge, checks
520619A	1" angle, sweat union, gauge
520619AC	1" angle, sweat union, gauge, checks

521101A	3-way Therm Mixing Valve without tail pieces
521201A	3/8", Anti-scald thermostatic mixing valve
521201AP	3/8" compression union, plug/fittings
521301A	3 Way anti scald Mixing Valve less tailpieces
521342A	3 Way anti scald Mixing Valve w/check valve 1/2" NPT
521347A	3 Way anti scald Mixing Valve w/check valve 1/2" PEX crimp
521348A	3 Way anti scald Mixing Valve w/check valve 1/2" PEX expansion
521349A	3 Way anti scald Mixing Valve w/check valve 1/2" SWT
521352A	3 Way anti scald Mixing Valve w/check valve 3/4" NPT
521357A	3 Way anti scald Mixing Valve w/check valve 3/4" PEX crimp
521358A	3 Way anti scald Mixing Valve w/check valve 3/4" PEX expansion
521359A	3 Way anti scald Mixing Valve w/check valve 3/4" SWT
521362A	3 Way anti scald Mixing Valve w/check valve 1" NPT
521367A	3 Way anti scald Mixing Valve w/check valve 1" PEX crimp
521368A	3 Way anti scald Mixing Valve w/check valve 1" PEX expansion
521369A	3 Way anti scald Mixing Valve w/check valve 1" SWT
521369A	3 Way Thermostatic Mixing Valve w/check valve 1" SWT
521400A	3-way Thermostatic Mixing Valve 1/2" NPT
521400AC	3-way Thermostatic Mixing Valve 1/2" NPT, with checks
521406A	Thermostatic Mixing Valve, 1/2" press
521408A	Thermostatic Mixing Valve, 1/2" PEX expansion
521408AC	Thermostatic Mixing Valve, 1/2" PEX expansion, checks
521409A	3-way Thermostatic Mixing Valve 1/2" SWT
521409AC	3-way Thermostatic Mixing Valve 1/2" SWT, with checks
521410A	1/2" NPT mixing valve with gauge adapter
521410AC	1/2" NPT mixing valve with gauge adapter, check valves
521416A	1/2" Press Union, gauge
521418A	Thermostatic Mixing Valve, 1/2" PEX expansion, gauge
521418AC	Thermostatic Mixing Valve, 1/2" PEX expansion, gauge, checks
521419A	3-way Therm Mixing Valve 1/2" SWT w/probe
521419AC	3-way Therm Mixing Valve 1/2" SWT w/probe and checks
521500A	3-way Thermostatic Mixing Valve 3/4" NPT
521500AC	3-way Thermostatic Mixing Valve 3/4" NPT, with checks
521506A	3/4" Press Mixing Valve
521506AC	Thermostatic Mixing Valve, 3/4" press with checks
521508A	Thermostatic Mixing Valve, 3/4" PEX expansion
521508AC	Thermostatic Mixing Valve, 3/4" PEX expansion, checks
521509A	3-way Thermostatic Mixing Valve 3/4" SWT
521509AC	3-way Thermostatic Mixing Valve 3/4" SWT, with checks
521510A	3/4" NPT mixing valve with gauge adapter
521510AC	3/4" NPT mixing valve with gauge adapter, check valves
521516A	3/4" Press Mixing Valve with Gauge Adapter
521516AC	Thermostatic Mixing Valve, 3/4" press with gauge, checks
521518A	Thermostatic Mixing Valve, 3/4" PEX expansion, gauge
521518AC	Thermostatic Mixing Valve, 3/4" PEX expansion, gauge, checks
521519A	3-way Thermostatic Mixing Valve 3/4" SWT w/probe
521519AC	3-way Thermostatic Mixing Valve 3/4" SWT w/probe, with checks
521600A	3-way Thermostatic Mixing Valve 1" NPT
521600AC	3-way Thermostatic Mixing Valve 1" NPT, with checks
521606A	Thermostatic Mixing Valve, 1" press

521606AC	1" press union, check valves
521608A	Thermostatic Mixing Valve, 1" PEX expansion
521608AC	Thermostatic Mixing Valve, 1" PEX expansion, checks
521609A	3-way Thermostatic Mixing Valve 1" SWT
521609AC	3-way Thermostatic Mixing Valve 1" SWT, with checks
521610A	1" NPT mixing valve with gauge adapter
521610AC	1" NPT mixing valve with gauge adapter, check valves
521616A	Thermostatic Mixing Valve, 1" press with gauge
521616AC	1" press union, check valves, gauge
521618A	Thermostatic Mixing Valve, 1" PEX expansion, gauge
521618AC	Thermostatic Mixing Valve, 1" PEX expansion, gauge, checks
521619A	3-way Thermostatic Mixing Valve 1" SWT w/probe
521619AC	3-way Thermostatic Mixing Valve 1" SWT w/probe, with checks
523160A	3-way Thermostatic Mixing Valve 1" NPT
523166A	1" press
523168A	3-way Thermostatic Mixing Valve 1" SWT
523170A	3-way Thermostatic Mixing Valve 1 1/4" NPT
523176A	1-1/4" press
523177A	3-way Thermostatic Mixing Valve 1 1/4" SWT with T/probe
523178A	3-way Thermostatic Mixing Valve 1 1/4" SWT
523179A	3-way Thermostatic Mixing Valve sample casting (new Cu62ATD material)
523180A	3-way Thermostatic Mixing Valve 1 1/2" NPT
523186A	1-1/2" press
523188A	3-way Thermostatic Mixing Valve 1 1/2" SWT
523190A	3-way Thermostatic Mixing Valve 2" NPT
523196A	2" press
523198A	3-way Thermostatic Mixing Valve 2" SWT
523199A	3-way Thermostatic Mixing Valve without connections
NA10056	3/4" sweat tailpiece drywell assembly
NA10058	1" sweat tailpiece drywell assembly
NA10315	1-1/4" sweat tailpiece drywell assembly
NA10328	1/2" sweat tailpiece drywell assembly
NA10354	PT Tap Assembly, 1/2" Sweat
NA10355	PT Tap Assembly, 3/4" Sweat
NA10356	PT Tap Assembly, 1" Sweat
NA10358	1" Gauge adapter assembly
116140A	Thermostatic Balancing Valve 1/2" FNPT
116150A	Thermostatic Balancing Valve 3/4" FNPT
116141A	Thermostatic Balancing Valve 1/2" FNPT, gauge
116151A	Thermostatic Balancing Valve 3/4" FNPT, gauge
116240A	Thermostatic Balancing Valve 1/2" FNPT, gauge, therm. dis. cartridge
116250A	Thermostatic Balancing Valve 3/4" FNPT, gauge, therm. dis. cartridge
116340A	Thermostatic Balancing Valve 1/2" FNPT, gauge, actuator dis. cartridge
116350A	Thermostatic Balancing Valve 3/4" FNPT, gauge, actuator dis. cartridge
116160A	New 1" ThermoSetter body, 1" FNPT
116160AC	New 1" ThermoSetter body, 1" FNPT, check
116161A	New 1" ThermoSetter body, 1" FNPT, gauge
116161AC	New 1" ThermoSetter body, 1" FNPT, gauge, check
116170A	New 1-1/4" ThermoSetter body, 1-1/4" FNPT
116170AC	New 1-1/4" ThermoSetter body, 1-1/4" FNPT, check

116171A	New 1-1/4" ThermoSetter body, 1-1/4" FNPT, gauge
116171AC	New 1-1/4" ThermoSetter body, 1-1/4" FNPT, gauge, check
116260A	New 1" ThermoSetter body, 1" FNPT, gauge, 160F therm. dis. cartridge
116260AC	New 1" ThermoSetter body, 1" FNPT, gauge, 160F therm. dis. cartridge, check
116270A	New 1-1/4" ThermoSetter body, 1-1/4" FNPT, gauge, 160F therm. dis. cartridge
116270AC	New 1-1/4" ThermoSetter body, 1-1/4" FNPT, gauge, 160F therm. dis. cartridge, check
116660A	New 1" ThermoSetter body, 1" FNPT, gauge, 140F therm. dis. cartridge
116660AC	New 1" ThermoSetter body, 1" FNPT, gauge, 140F therm. dis. cartridge, check
116670A	New 1-1/4" ThermoSetter body, 1-1/4" FNPT, gauge, 140F therm. dis. cartridge
116670AC	New 1-1/4" ThermoSetter body, 1-1/4" FNPT, gauge, 140 therm. dis. cartridge, check
116360A	New 1" ThermoSetter body, 1" FNPT, gauge, actuator dis. cartridge
116360AC	New 1" ThermoSetter body, 1" FNPT, gauge, actuator dis. cartridge, check
116370A	New 1-1/4" ThermoSetter body, 1-1/4" FNPT, gauge, actuator dis. cartridge
116370AC	New 1-1/4" ThermoSetter body, 1-1/4" FNPT, gauge, actuator dis. cartridge, check
1164_0A	Thermal bal. valve, compact, 1/2" and 3/4" FNPT
1164_0AC	Thermal bal. valve, compact, 1/2" and 3/4" FNPT, check
1164_1A	Thermal bal. valve, compact, 1/2" and 3/4" FNPT, gauge
1164_1AC	Thermal bal. valve, compact, 1/2" and 3/4" FNPT, check, gauge
Z207411	1/2" NPT zone valve, low lead body
Z207433	Zone valve 2-way 1/2" SWT
Z207533	Zone valve 2-way 3/4" SWT, 3.5 Cv
Z207537	Zone valve 2-way 3/4" SWT
Z307433	Zone valve 2-way 1/2" SWT
Z307433	Zone valve 3-way 1/2" SWT
Z307537	Zone valve 2-way 3/4" SWT
Z307537	Zone valve 3-way 3/4" SWT
573403A	Backflow preventer 1/2" FNPT inlet/outlet
573409A	Backflow preventer 1/2" sweat inlet/outlet
573493A	Backflow preventer 1/2" sweat inlet, 1/2" FNPT outlet
573503A	Backflow preventer 3/4" FNPT inlet/outlet
573509A	Backflow preventer 3/4" sweat inlet/outlet
574004A	1/2" RPZ Backflow preventer, NPT female inlet/outlet
574050A	3/4" RPZ Backflow preventer, NPT female inlet/outlet
574006A	1" RPZ backflow preventer, NPT female inlet/outlet
574700A	1-1/4" RPZ backflow preventer, NPT female inlet/outlet
574801A	1-1/2" RPZ backflow preventer, NPT female inlet/outlet
574900A	2" RPZ backflow preventer, NPT female inlet/outlet
NA10366	Check Valve for 1" and 1-1/4" 5231 mixing valve
NA10367	Check Valve for 1-1/2" and 2" 5231 mixing valve
NA10461	Gauge adapter for 1-1/2" and 2" 5231 mixing valve
NA10476	Gauge adapter for 1" and 1-1/4" 5231
NA10469	1/2" MNPT x FNPT check valve assy
NA10467	3/4" MNPT x FNPT check valve assy
NA10498	Dry Well, Tin Plated
NA10824	1/2" FNPT ball valve low lead
NA10825	3/4" FNPT ball valve low lead

NA10826	1" FNPT ball valve low lead
NA10827	1-1/4" FNPT ball valve low lead
NA10828	1-1/2" FNPT ball valve low lead
NA10829	2" FNPT ball valve low lead
127144AFC	1/2" PEX barb, check
127145AFC	1/2" PEX barb, check, gauge
127154AFC	3/4" PEX barb, check
127155AFC	3/4" PEX barb, check, gauge
127164AFC	1" PEX barb, check
127165AFC	1" PEX barb, check, gauge
132434AFC	1/2" PEX barb, 0.5 to 1.75 GPM
132435AFC	1/2" PEX barb, 0.5 to 1.75 GPM, gauge
132454AFC	1/2" PEX barb, 2.0 to 7.0 GPM
132455AFC	1/2" PEX barb, 2.0 to 7.0 GPM, gauge
132436AFC	QuickSetter 1/2" press, 0.5-1.75 GPM
132456AFC	QuickSetter 1/2" press, 2-7 GPM
132437AFC	QuickSetter 1/2" press, 0.5-1.75 GPM, gauge
132457AFC	QuickSetter 1/2" press, 2-7 GPM, gauge
132534AFC	3/4" PEX barb, 0.5 to 1.75 GPM
132535AFC	3/4" PEX barb, 0.5 to 1.75 GPM, gauge
132554AFC	3/4" PEX barb, 2.0 to 7.0 GPM
132555AFC	3/4" PEX barb, 2.0 to 7.0 GPM, gauge
132634AFC	1" PEX barb, 0.5 to 1.75 GPM
132635AFC	1" PEX barb, 0.5 to 1.75 GPM, gauge
132654AFC	1" PEX barb, 2.0 to 7.0 GPM
132655AFC	1" PEX barb, 2.0 to 7.0 GPM, gauge
521347A	1/2" PEX barb
521357A	3/4" PEX barb
521367A	1" PEX barb
521407A	1/2" PEX barb
521407AC	1/2" PEX barb, checks
521417A	1/2" PEX barb, gauge
521417AC	1/2" PEX barb, gauge, checks
521507A	3/4" PEX barb
521507AC	3/4" PEX barb, checks
521517A	3/4" PEX barb, gauge
521517AC	3/4" PEX barb, gauge, checks
521607A	1" PEX barb
521607AC	1" PEX barb, checks
521617A	1" PEX barb, gauge
521617AC	1" PEX barb, gauge, checks
535750HA	3/4" PEX barb
535751HA	3/4" PEX barb, gauge
535760HA	1" PEX barb
535761HA	1" PEX barb, gauge
600054A	3/4" NPT male, electronic mixing valve w/controller
600059A	3/4" sweat, electronic mixing valve w/controller
600056A	3/4" press, electronic mixing valve w/controller
600064A	1" MNPT electronic mixing valve w/controller
600064A 001	1" NPT male union, 3/4" body

600066A	1" press electronic mixing valve w/controller
600066A 001	1" press union, 3/4" body
600069A	1" sweat electronic mixing valve w/controller
600069A 001	1" sweat union, 3/4" body
600074A	1-1/4" MNPT electronic mixing valve w/controller
600076A	1-1/4" press electronic mixing valve w/controller
600079A	1-1/4" sweat electronic mixing valve w/controller
600084A	1-1/2" MNPT electronic mixing valve w/controller
600086A	1-1/2" press electronic mixing valve w/controller
600089A	1-1/2" sweat electronic mixing valve w/controller
600094A	2" MNPT electronic mixing valve w/controller
600096A	2" press electronic mixing valve w/controller
600099A	2" sweat electronic mixing valve w/controller
600060A	2-1/2", ANSI Flange electronic mixing valve w/controller
600080A	3", ANSI Flange electronic mixing valve w/controller
127347AF	1/2" PEX crimp union
127357AF	3/4" PEX crimp union
127367AF	1" PEX crimp union
573406A	1/2" press union
574064A	1/2" press
574056A	3/4" press
521333A	3/8" compression anti-scald
NA502640A	1/2" PLUMBVENT
F0000492	1/2" PEX crimp fitting
F0000520	3/4" PEX crimp fitting
F0000521	1" PEX crimp fitting
F0001007	1/2" PEX expansion fitting
F0001008	3/4" PEX expansion fitting
F0001009	1" PEX expansion fitting
NA51200	Serviceable low lead check 1"G w/o fittings
NA51240	Serviceable low lead check 1/2" NPT male union
NA51243	Serviceable low lead check 1/2" NPT female union
NA51246	Serviceable low lead check 1/2" press union
NA51247	Serviceable low lead check 1/2" PEX crimp
NA51248	Serviceable low lead check 1/2" PEX expansion
NA51249	Serviceable low lead check 1/2" sweat union
NA51250	Serviceable low lead check 3/4" NPT male union
NA51253	Serviceable low lead check 3/4" NPT female union
NA51256	Serviceable low lead check 3/4" press union
NA51257	Serviceable low lead check 3/4" PEX crimp
NA51258	Serviceable low lead check 3/4" PEX expansion
NA51259	Serviceable low lead check 3/4" sweat union
NA51300	Serviceable low lead check 1.5"G w/o fittings
NA51360	Serviceable low lead check 1" NPT male union
NA51361	Serviceable check, 1" MNPT in, 1" FNPT out
NA51363	Serviceable low lead check 1" NPT female union
NA51366	Serviceable low lead check 1" press union
NA51369	Serviceable low lead check 1" sweat union
NA51370	Serviceable low lead check 1 1/4" NPT male union
NA51371	Serviceable check, 1-1/4" MNPT in, 1-1/4" FNPT out

NA51373	Serviceable low lead check 1-1/4" NPT female union
NA51376	Serviceable low lead check 1-1/4" press union
NA51379	Serviceable low lead check 1¼" sweat union
NA51400	Serviceable low lead check 2.5"G w/o fittings
NA51480	Serviceable low lead check 1½" NPT male union
NA51486	Serviceable low lead check 1½" press union
NA51489	Serviceable low lead check 1½" sweat union
NA51490	Serviceable low lead check 2" NPT male union
NA51493	Serviceable low lead check 2" NPT female union
NA51496	Serviceable low lead check 2" press union
NA51499	Serviceable low lead check 2" sweat union
290030	Isolation ball valve 1" MxF G threads

Conditions of listing:

1. The CALEFFI's products recognized in this listing must be installed in accordance with the manufacturer's published installation instructions and the applicable codes.
2. The CALEFFI's products recognized in this listing are manufactured under a quality control program with annual surveillance inspections by ICC-ES.