



CSI: DIVISION: 22 00 00—PLUMBING
 Section: 22 40 00—Facility Water Distribution
 Section: 22 09 00—Instrumentation and Control for Plumbing

Product certification system:

The ICC-ES product certification system includes testing samples taken from the market or supplier’s stock, or a combination of both, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the supplier’s quality system.

Product: Lead Free Plumbing Products

Listee: CALEFFI North America, Inc.
 3883 W. Milwaukee Road
 Milwaukee, WI 53208
www.caleffi.us

Compliance with the following standards:

NSF/ANSI/CAN 372 – 2022, Drinking Water System Components – Lead Content
 Reduction of Lead in Drinking Water Act, California Health and Safety Code 116875
 S.3874, Reduction of Lead in Drinking Water Act
 Vermont Act 193 – The Lead in plumbing Supplies Law
 Maryland’s Lead-Free Law HB. 372

Identification:

- Each product shall be marked with:
- a) The manufacturer’s recognized name, trademark, or other mark; or
 - b) Model number
 - c) ICC-ES PMG lead free listing mark

Installation:

Products shall be installed in accordance with the manufacturer's instructions and the applicable codes.

Models:

Model Number	Description
116140A	Thermostatic Balancing Valve ½" FNPT
116140AC	ThermoSetter™ Adjustable Thermal Balancing Valve 1/2" FNPT w/ Check Valve
116141A	Thermostatic Balancing Valve ½" FNPT, gauge
116141AC	ThermoSetter™ Adjustable Thermal Balancing Valve 1/2" FNPT w/ Check Valve & Pressure Gauge
116150A	Thermostatic Balancing Valve ¾" FNPT

Listings are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the listing or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this listing, or as to any product covered by the listing.

116150AC	ThermoSetter™ Adjustable Thermal Balancing Valve 3/4" FNPT w/ Check Valve
116151A	Thermostatic Balancing Valve 3/4" FNPT, gauge
116151AC	ThermoSetter™ Adjustable Thermal Balancing Valve 3/4" FNPT w/ Check Valve & Pressure Gauge
116160A	1" ThermoSetter body, 1" FNPT
116160AC	1" ThermoSetter body, 1" FNPT, check
116161A	1" ThermoSetter body, 1" FNPT, gauge
116161AC	1" ThermoSetter body, 1" FNPT, gauge, check
116170A	1-1/4" ThermoSetter body, 1-1/4" FNPT
116170AC	1-1/4" ThermoSetter body, 1-1/4" FNPT, check
116171A	1-1/4" ThermoSetter body, 1-1/4" FNPT, gauge
116171AC	1-1/4" ThermoSetter body, 1-1/4" FNPT, gauge, check
116240A	Thermostatic Balancing Valve 1/2" FNPT, gauge, therm. dis. cartridge
116240AC	ThermoSetter™ Adjustable Thermal Balancing Valve 1/2" FNPT w/160F thermal disinfection Cartridge w/ Pressure Gauge & Check
116250A	Thermostatic Balancing Valve 3/4" FNPT, gauge, therm. dis. cartridge
116250AC	ThermoSetter™ Adjustable Thermal Balancing Valve 3/4" FNPT w/160F thermal disinfection Cartridge w/ Pressure Gauge & Check
116260A	1" ThermoSetter body, 1" FNPT, gauge, 160F therm. dis. cartridge
116260AC	1" ThermoSetter body, 1" FNPT, gauge, 160F therm. dis. cartridge, check
116270A	1-1/4" ThermoSetter body, 1-1/4" FNPT, gauge, 160F therm. dis. cartridge
116270AC	1-1/4" ThermoSetter body, 1-1/4" FNPT, gauge, 160F therm. dis. cartridge, check
116340A	Thermostatic Balancing Valve 1/2" FNPT, gauge, actuator dis. cartridge
116340AC	ThermoSetter™ Adjustable Thermal Balancing Valve 1/2" FNPT w/ 656 Actuator mounts w/ Pressue Gauge & Check
116350A	Thermostatic Balancing Valve 3/4" FNPT, gauge, actuator dis. cartridge
116350AC	ThermoSetter™ Adjustable Thermal Balancing Valve 3/4" FNPT w/ 656 Actuator mounts w/ Pressue Gauge & Check
116360A	1" ThermoSetter body, 1" FNPT, gauge, actuator dis. cartridge
116360AC	1" ThermoSetter body, 1" FNPT, gauge, actuator dis. cartridge, check
116370A	1-1/4" ThermoSetter body, 1-1/4" FNPT, gauge, actuator dis. cartridge
116370AC	1-1/4" ThermoSetter body, 1-1/4" FNPT, gauge, actuator dis. cartridge, check
116440A	ThermoSetter™ Adjustable Thermal Balancing Valve 1/2" FNPT
116440AC	ThermoSetter™ Adjustable Thermal Balancing Valve 1/2" FNPT w/ Check Valve
116441A	ThermoSetter™ Adjustable Thermal Balancing Valve 1/2" FNPT w/ Pressure Gauge
116441AC	ThermoSetter™ Adjustable Thermal Balancing Valve 1/2" FNPT w/ Check Valve & Pressure Gauge
116450A	ThermoSetter™ Adjustable Thermal Balancing Valve 3/4" FNPT
116450AC	ThermoSetter™ Adjustable Thermal Balancing Valve 3/4" FNPT w/ Check Valve
116451A	ThermoSetter™ Adjustable Thermal Balancing Valve 3/4" FNPT w/ Pressure Gauge
116451AC	ThermoSetter™ Adjustable Thermal Balancing Valve 3/4" FNPT w/ Check Valve & Pressure Gauge
116640AC	ThermoSetter™ Adjustable Thermal Balancing Valve 1/2" FNPT w/140F thermal disinfection Cartridge w/ Pressure Gauge & Check
116650AC	ThermoSetter™ Adjustable Thermal Balancing Valve 3/4" FNPT w/140F thermal disinfection Cartridge w/ Pressure Gauge & Check
116660A	1" ThermoSetter body, 1" FNPT, gauge, 140F therm. dis. cartridge
116660AC	1" ThermoSetter body, 1" FNPT, gauge, 140F therm. dis. cartridge, check
116670A	1-1/4" ThermoSetter body, 1-1/4" FNPT, gauge, 140F therm. dis. cartridge
116670AC	1-1/4" ThermoSetter body, 1-1/4" FNPT, gauge, 140 therm. dis. cartridge, check
127000A	127 body + *** GPM cartridge
127140AFC	FlowCal+™ PIBV Low Lead No Fittings 10 GPM
127141AFC	FlowCal+™ PIBV Low Lead 1/2" NPT w/ Check & Gauge .75 GPM
127142AFC	FlowCal balancing valve 1/2" PEX expansion, check

127143AFC	FlowCal balancing valve 1/2" PEX expansion, check, gauge
127144AFC	1/2" PEX barb, check
127145AFC	1/2" PEX barb, check, gauge
127146AFC	FlowCal+™ PIBV Low Lead 1/2" PEX Crimp w/ Check & Gauge .75 GPM
127147AFC	FlowCal+™ PIBV Low Lead 1/2" Press w/ Check .75 GPM
127148AFC	FlowCal balancing valve 1/2" sweat, check, gauge
127149AFC	FlowCal balancing valve 1/2" sweat, check
127150AFC	FlowCal+™ PIBV Low Lead 1/2" Sweat w/ Check .75 GPM
127151AFC	FlowCal+™ PIBV Low Lead 3/4" NPT w/ Check & Gauge .75 GPM
127152AFC	FlowCal balancing valve 3/4" PEX expansion, check
127153AFC	FlowCal balancing valve 3/4" PEX expansion, check, gauge
127154AFC	3/4" PEX barb, check
127155AFC	3/4" PEX barb, check, gauge
127156AFC	FlowCal balancing valve 3/4" press, check
127157AFC	FlowCal balancing valve 3/4" press, check, gauge
127158AFC	FlowCal balancing valve 3/4" sweat, check, gauge
127159AFC	FlowCal balancing valve 3/4" sweat, check
127160AFC	FlowCal+™ PIBV Low Lead 3/4" Sweat w/ Check .75 GPM
127161AFC	FlowCal+™ PIBV Low Lead 1" NPT w/ Check & Gauge .75 GPM
127162AFC	FlowCal balancing valve 1" PEX expansion, check
127163AFC	FlowCal balancing valve 1" PEX expansion, check, gauge
127164AFC	1" PEX barb, check
127165AFC	1" PEX barb, check, gauge
127166AFC	FlowCal+™ PIBV Low Lead 1" PEX Crimp w/ Check & Gauge .75 GPM
127167AFC	FlowCal+™ PIBV Low Lead 1" press w/ Check .75 GPM
127168AFC	FlowCal balancing valve 1" sweat, check, gauge
127169AFC	FlowCal balancing valve 1" sweat, check
127252AF	FlowCal balancing valve 3/4" GHT
127341AF	FlowCal balancing valve 1/2" NPT
127342AF	FlowCal™ PIBV Low Lead 1/2" NPT .75 GPM
127344AF	FlowCal balancing valve 1/2" PEX crimp union
127346AF	FlowCal balancing valve 1/2" press
127347AF	1/2" PEX crimp union
127349AF	FlowCal balancing valve 1/2" SWT
127351AF	FlowCal balancing valve 3/4" NPT
127352AF	FlowCal™ PIBV Low Lead 3/4" NPT .75 GPM
127354AF	FlowCal balancing valve 3/4" PEX crimp union
127356AF	FlowCal balancing valve 3/4" press
127357AF	3/4" PEX crimp union
127359AF	FlowCal balancing valve 3/4" SWT
127361AF	FlowCal balancing valve 1" NPT
127362AF	FlowCal™ PIBV Low Lead 1" NPT .75 GPM
127364AF	FlowCal balancing valve 1" PEX crimp union
127366AF	FlowCal balancing valve 1" press
127367AF	1" PEX crimp union
127369AF	FlowCal balancing valve 1" SWT
128440AFC	FlowCal™ PIBV Low Lead 1" Sweat .75 GPM
128441AFC	Y-body FlowCal+ 1/2" NPT male, gauge, PT ports, check .75 GPM
128442AFC	Y-body FlowCal+ 1/2" NPT male, PT ports, check .75 GPM
128443AFC	Y-body FlowCal+ 1/2" PEX expansion, PT ports, check .75 GPM
128444AFC	Y-body FlowCal+ 1/2" PEX expansion, gauge, PT ports, check .75 GPM
128445AFC	Y-body FlowCal+ 1/2" PEX crimp, PT ports, check .75 GPM
128446AFC	Y-body FlowCal+ 1/2" PEX crimp, gauge, PT ports, check .75 GPM
128447AFC	Y-body FlowCal+ 1/2" Press, PT ports, check .75 GPM
128448AFC	Y-body FlowCal+ 1/2" Press, PT ports, check .75 GPM

128449AFC	Y-body FlowCal+ 1/2" sweat, gauge, PT ports, check .75 GPM
128450AFC	Y-body FlowCal+ 1/2" sweat, PT ports, check .75 GPM
128451AFC	Y-body FlowCal+ 3/4" NPT male, gauge, PT ports, check .75 GPM
128452AFC	Y-body FlowCal+ 3/4" NPT male, PT ports, check .75 GPM
128453AFC	Y-body FlowCal+ 3/4" PEX expansion, PT ports, check .75 GPM
128454AFC	Y-body FlowCal+ 3/4" PEX expansion, gauge, PT ports, check .75 GPM
128455AFC	Y-body FlowCal+ 3/4" PEX crimp, PT ports, check .75 GPM
128456AFC	Y-body FlowCal+ 3/4" PEX crimp, gauge, PT ports, check .75 GPM
128457AFC	Y-body FlowCal+ 3/4" press, PT ports, check .75 GPM
128458AFC	Y-body FlowCal+ 3/4" press, gauge, PT ports, check .75 GPM
128459AFC	Y-body FlowCal+ 3/4" sweat, gauge, PT ports, check .75 GPM
128460AFC	Y-body FlowCal+ 3/4" sweat, PT ports, check .75 GPM
128461AFC	Y-body FlowCal+ 1" NPT male, gauge, PT ports, check .75 GPM
128462AFC	Y-body FlowCal+ 1" NPT male, PT ports, check .75 GPM
128463AFC	Y-body FlowCal+ 1" PEX expansion, PT ports, check .75 GPM
128464AFC	Y-body FlowCal+ 1" PEX expansion, gauge, PT ports, check .75 GPM
128465AFC	Y-body FlowCal+ 1" PEX crimp, PT ports, check .75 GPM
128466AFC	Y-body FlowCal+ 1" PEX crimp, gauge, PT ports, check .75 GPM
128467AFC	Y-body FlowCal+ 1" press, PT ports, check .75 GPM
128468AFC	Y-body FlowCal+ 1" press, gauge, PT ports, check .75 GPM
128469AFC	Y-body FlowCal+ 1" sweat, gauge, PT ports, check .75 GPM
128541AF	Y-body FlowCal+ 1" sweat, PT ports, check .75 GPM
128542AF	Y-body FlowCal 1/2" NPT male, PT ports .75 GPM
128544AF	Y-body FlowCal 1/2" PEX expansion, PT ports .75 GPM
128546AF	Y-body FlowCal 1/2" PEX crimp, PT ports .75 GPM
128549AF	Y-body FlowCal 1/2" press, PT ports .75 GPM
128551AF	Y-body FlowCal 1/2" sweat, PT ports .75 GPM
128552AF	Y-body FlowCal 3/4" NPT male, PT ports .75 GPM
128554AF	Y-body FlowCal 3/4" PEX expansion, PT ports .75 GPM
128556AF	Y-body FlowCal 3/4" PEX crimp, PT ports .75 GPM
128559AF	Y-body FlowCal 3/4" press, PT ports .75 GPM
128561AF	Y-body FlowCal 3/4" sweat, PT ports .75 GPM
128562AF	Y-body FlowCal 1" NPT male, PT ports .75 GPM
128564AF	Y-body FlowCal 1" PEX expansion, PT ports .75 GPM
128566AF	Y-body FlowCal 1" PEX crimp, PT ports .75 GPM
128569AF	Y-body FlowCal 1" press, PT ports .75 GPM
128741A 000	Y-strainer 1/2" NPT male, PT ports
128742A 000	Y-strainer 1/2" PEX expansion, PT ports
128744A 000	Y-strainer 1/2" PEX crimp, PT ports
128746A 000	Y-strainer 1/2" press, PT ports
128749A 000	Y-strainer 1/2" sweat, PT ports
128751A 000	Y-strainer 3/4" NPT male, PT ports
128752A 000	Y-strainer 3/4" PEX expansion, PT ports
128754A 000	Y-strainer 3/4" PEX crimp, PT ports
128756A 000	Y-strainer 3/4" press, PT ports
128759A 000	Y-strainer 3/4" sweat, PT ports
128761A 000	Y-strainer 1" NPT male, PT ports
128762A 000	Y-strainer 1" PEX expansion, PT ports
128764A 000	Y-strainer 1" PEX crimp, PT ports
128766A 000	Y-strainer 1" press, PT ports
128769A 000	Y-strainer 1" sweat, PT ports
130400A	1/2" FNPT
130500A	3/4" FNPT
130600A	1" FNPT
130700A	1-1/4" FNPT

130800A	1-1/2" FNPT
130900A	2" FNPT
132637	QuickSetter body only, 0.5 to 1.75 GPM, without tailpieces
132657	QuickSetter body only, 2 to 7 GPM, without tailpieces
132432AFC	QuickSetter, 1/2" PEX expansion, 0.5 to 1.75 GPM
132433AFC	QuickSetter, 1/2" PEX expansion, 0.5 to 1.75 GPM, gauge
132434AFC	1/2" PEX barb, 0.5 to 1.75 GPM
132435AFC	1/2" PEX barb, 0.5 to 1.75 GPM, gauge
132436AFC	QuickSetter 1/2" press, 0.5-1.75 GPM
132437AFC	QuickSetter 1/2" press, 0.5-1.75 GPM, gauge
132438AFC	QuickSetter 0.5-1.75 GPM, 1/2" SWT w/temp probe and check valve
132439AFC	QuickSetter 0.5-1.75 GPM, 1/2" SWT w/check valve
132452AFC	QuickSetter, 1/2" PEX expansion, 2.0 to 7.0 GPM
132453AFC	QuickSetter, 1/2" PEX expansion, 2.0 to 7.0 GPM, gauge
132454AFC	1/2" PEX barb, 2.0 to 7.0 GPM
132455AFC	1/2" PEX barb, 2.0 to 7.0 GPM, gauge
132456AFC	QuickSetter 1/2" press, 2-7 GPM
132457AFC	QuickSetter 1/2" press, 2-7 GPM, gauge
132458AFC	QuickSetter 2-7 GPM, 1/2" SWT w/temp probe and check valve
132459AFC	QuickSetter 2-7 GPM, 1/2" SWT w/check valve
132532AFC	QuickSetter, 3/4" PEX expansion, 0.5 to 1.75 GPM
132533AFC	QuickSetter, 3/4" PEX expansion, 0.5 to 1.75 GPM, gauge
132534AFC	3/4" PEX barb, 0.5 to 1.75 GPM
132535AFC	3/4" PEX barb, 0.5 to 1.75 GPM, gauge
132536AFC	QuickSetter Flow Balancing Valve, 3/4" press, 0.5 to 1.75 GPM
132537AFC	QuickSetter Flow Balancing Valve, 3/4" press, 0.5 to 1.75 GPM, gauge
132538AFC	QuickSetter 0.5-1.75 GPM, 3/4" SWT w/temp probe and check valve
132539AFC	QuickSetter 0.5-1.75 GPM, 3/4" SWT w/check valve
132552AFC	QuickSetter, 3/4" PEX expansion, 2.0 to 7.0 GPM
132553AFC	QuickSetter, 3/4" PEX expansion, 2.0 to 7.0 GPM, gauge
132554AFC	3/4" PEX barb, 2.0 to 7.0 GPM
132555AFC	3/4" PEX barb, 2.0 to 7.0 GPM, gauge
132556AFC	QuickSetter Flow Balancing Valve, 3/4" press, 2.0 to 7.0 GPM
132557AFC	QuickSetter Flow Balancing Valve, 3/4" press, 2.0 to 7.0 GPM, gauge
132558AFC	QuickSetter 2-7 GPM, 3/4" SWT w/temp probe and check valve
132559AFC	QuickSetter 2-7 GPM, 3/4" SWT w/check valve
132632AFC	QuickSetter, 1" PEX expansion, 0.5 to 1.75 GPM
132633AFC	QuickSetter, 1" PEX expansion, 0.5 to 1.75 GPM, gauge
132634AFC	1" PEX barb, 0.5 to 1.75 GPM
132635AFC	1" PEX barb, 0.5 to 1.75 GPM, gauge
132636AFC	QuickSetter 1" press union 0.5 to 1.75 GPM
132637AFC	QuickSetter 1" press union, gauge, 0.5 to 1.75 GPM
132638AFC	QuickSetter 0.5-1.75 GPM, 1" SWT w/temp probe and check valve
132639AFC	QuickSetter 0.5-1.75 GPM, 1" SWT w/check valve
132652AFC	QuickSetter, 1" PEX expansion, 2.0 to 7.0 GPM
132653AFC	QuickSetter, 1" PEX expansion, 2.0 to 7.0 GPM, gauge
132654AFC	1" PEX barb, 2.0 to 7.0 GPM
132655AFC	1" PEX barb, 2.0 to 7.0 GPM, gauge
132656AFC	QuickSetter 1" press union 2 to 7 GPM
132657AFC	QuickSetter 1" press union, gauge, 2 to 7 GPM
132658AFC	QuickSetter 2-7 GPM, 1" SWT w/temp probe and check valve
132659AFC	QuickSetter 2-7 GPM, 1" SWT w/check valve
142241A	1/2" FNPT
142251A	3/4" FNPT
142261A	1" FNPT

142271A	1-1/4" FNPT
142281A	1-1/2" FNPT
142291A	Flow Balancing Valve, 2" NPT female
252101ACST	3-way Therm Mixing Valve without Tail pieces
252148A	3-way Therm Mixing Valve 1/2" SWT w/probe and check valve
252149A	3-way Thermostatic Mixing Valve 1/2" SWT
252158A	3-way Therm Mixing Valve 3/4" SWT w/probe and check valve
252159A	3-way Thermostatic Mixing Valve 3/4" SWT
252168A	3-way Therm Mixing Valve 1" SWT w/probe and check valve
252169A	3-way Thermostatic Mixing Valve 1" SWT
304040A	1/2" MNPT Vacuum Relief Valve
304050A	3/4" MNPT Vacuum Relief Valve
304840A	Dual Check Backflow ASSE 1024 1/2" MNPT dual union
304843A	Dual Check Backflow ASSE 1024 1/2" FNPT dual union
304846A	Dual Check Backflow ASSE 1024 1/2" press dual union
304847A	Dual Check Backflow ASSE 1024 1/2" PEX crimp dual union
304848A	Dual Check Backflow ASSE 1024 1/2" PEX expansion dual union
304849A	Dual Check Backflow ASSE 1024 1/2" sweat dual union
304850A	Dual Check Backflow ASSE 1024 3/4" MNPT dual union
304853A	Dual Check Backflow ASSE 1024 3/4" FNPT dual union
304856A	Dual Check Backflow ASSE 1024 3/4" press dual union
304857A	Dual Check Backflow ASSE 1024 3/4" PEX crimp dual union
304858A	Dual Check Backflow ASSE 1024 3/4" PEX expansion dual union
304859A	Dual Check Backflow ASSE 1024 3/4" sweat dual union
304860A	Dual Check Backflow ASSE 1024 1" MNPT dual union
304863A	Dual Check Backflow ASSE 1024 1" MNPT dual union
304866A	Dual Check Backflow ASSE 1024 1" press dual union
304867A	Dual Check Backflow ASSE 1024 1" PEX crimp dual union
304868A	Dual Check Backflow ASSE 1024 1" PEX expansion dual union
304869A	Dual Check Backflow ASSE 1024 1" sweat dual union
520051A	Thermostatic Mixing Valve body, 1" union conn.
520061A	1" angle, body only
520410A	1/2" NPT male union, gauge
520410AC	1/2" NPT male union, gauge, checks
520416A	1/2" Press union, gauge
520416AC	AngleMix™ 3- Way Mixing valve 1/2" press union w/ checks
520419A	1/2" sweat union, gauge
520419AC	1/2" sweat union, gauge, checks
520500AX	3/4" FNPT tank, 18" flex hose, cross, MNPT system
520506AX	3/4" FNPT tank, 18" flex hose, cross, press system
520509AX	3/4" FNPT tank, 18" flex hose, cross, sweat system
520510A	3/4" NPT male union, gauge
520510AC	3/4" NPT male union, gauge, checks
520510AX	3/4" FNPT tank, 18" flex hose, cross, MNPT system, gauge
520516A	3/4" press
520516A	3/4" press
520516AC	3/4" press, check
520516AC	3/4" press, check
520516AX	3/4" FNPT tank, 18" flex hose, cross, press system, gauge
520519A	3/4" sweat
520519A	3/4" sweat
520519AC	3/4" sweat, check
520519AC	3/4" sweat, check
520519AX	3/4" FNPT tank, 18" flex hose, cross, sweat system, gauge
520610A	1" angle, NPT male union, gauge

520610AC	1" angle, NPT male union, gauge, checks
520616A	1" angle, press union, gauge
520616AC	1" angle, press union, gauge, checks
520619A	1" angle, sweat union, gauge
520619AC	1" angle, sweat union, gauge, checks
521101A	3-way Therm Mixing Valve without tail pieces
521201A	3/8", Anti-scald thermostatic mixing valve
521201AP	3/8" compression union, plug/fittings
521301A	3 Way anti scald Mixing Valve less tailpieces
521333A	3/8" compression anti-scald
521342A	3 Way anti scald Mixing Valve w/check valve 1/2" NPT
521347A	3 Way anti scald Mixing Valve w/check valve 1/2" PEX crimp
521347A	3 Way anti scald Mixing Valve w/check valve 1/2" PEX crimp
521348A	3 Way anti scald Mixing Valve w/check valve 1/2" PEX expansion
521349A	3 Way anti scald Mixing Valve w/check valve 1/2" SWT
521352A	3 Way anti scald Mixing Valve w/check valve 3/4" NPT
521357A	3 Way anti scald Mixing Valve w/check valve 3/4" PEX crimp
521357A	3 Way anti scald Mixing Valve w/check valve 3/4" PEX crimp
521358A	3 Way anti scald Mixing Valve w/check valve 3/4" PEX expansion
521359A	3 Way anti scald Mixing Valve w/check valve 3/4" SWT
521362A	3 Way anti scald Mixing Valve w/check valve 1" NPT
521367A	3 Way anti scald Mixing Valve w/check valve 1" PEX crimp
521367A	3 Way anti scald Mixing Valve w/check valve 1" PEX crimp
521368A	3 Way anti scald Mixing Valve w/check valve 1" PEX expansion
521369A	3 Way anti scald Mixing Valve w/check valve 1" SWT
521400A	3-way Thermostatic Mixing Valve 1/2" NPT
521400AC	3-way Thermostatic Mixing Valve 1/2" NPT, with checks
521406A	Thermostatic Mixing Valve, 1/2" press
521406AC	3-way Mixing Valve 1/2" Press w/ checks
521407A	1/2" PEX barb
521407AC	1/2" PEX barb, checks
521408A	Thermostatic Mixing Valve, 1/2" PEX expansion
521408AC	Thermostatic Mixing Valve, 1/2" PEX expansion, checks
521409A	3-way Thermostatic Mixing Valve 1/2" SWT
521409AC	3-way Thermostatic Mixing Valve 1/2" SWT, with checks
521410A	1/2" NPT mixing valve with gauge adapter
521410AC	1/2" NPT mixing valve with gauge adapter, check valves
521416A	1/2" Press Union, gauge
521416AC	3-way Mixing Valve 1/2" Press w/Check Valves & Temp Gauge
521417A	1/2" PEX barb, gauge
521417AC	1/2" PEX barb, gauge, checks
521418A	Thermostatic Mixing Valve, 1/2" PEX expansion, gauge
521418AC	Thermostatic Mixing Valve, 1/2" PEX expansion, gauge, checks
521419A	3-way Therm Mixing Valve 1/2" SWT w/probe
521419AC	3-way Therm Mixing Valve 1/2" SWT w/probe and checks
521500A	3-way Thermostatic Mixing Valve 3/4" NPT
521500AC	3-way Thermostatic Mixing Valve 3/4" NPT, with checks
521506A	3/4" Press Mixing Valve
521506AC	Thermostatic Mixing Valve, 3/4" press with checks
521507A	3/4" PEX barb
521507AC	3/4" PEX barb, checks
521508A	Thermostatic Mixing Valve, 3/4" PEX expansion
521508AC	Thermostatic Mixing Valve, 3/4" PEX expansion, checks
521509A	3-way Thermostatic Mixing Valve 3/4" SWT
521509AC	3-way Thermostatic Mixing Valve 3/4" SWT, with checks

521510A	3/4" NPT mixing valve with gauge adapter
521510AC	3/4" NPT mixing valve with gauge adapter, check valves
521516A	3/4" Press Mixing Valve with Gauge Adapter
521516AC	Thermostatic Mixing Valve, 3/4" press with gauge, checks
521517A	3/4" PEX barb, gauge
521517AC	3/4" PEX barb, gauge, checks
521518A	Thermostatic Mixing Valve, 3/4" PEX expansion, gauge
521518AC	Thermostatic Mixing Valve, 3/4" PEX expansion, gauge, checks
521519A	3-way Thermostatic Mixing Valve 3/4" SWT w/probe
521519AC	3-way Thermostatic Mixing Valve 3/4" SWT w/probe, with checks
521600A	3-way Thermostatic Mixing Valve 1" NPT
521600AC	3-way Thermostatic Mixing Valve 1" NPT, with checks
521606A	Thermostatic Mixing Valve, 1" press
521606AC	1" press union, check valves
521607A	1" PEX barb
521607AC	1" PEX barb, checks
521608A	Thermostatic Mixing Valve, 1" PEX expansion
521608AC	Thermostatic Mixing Valve, 1" PEX expansion, checks
521609A	3-way Thermostatic Mixing Valve 1" SWT
521609AC	3-way Thermostatic Mixing Valve 1" SWT, with checks
521610A	1" NPT mixing valve with gauge adapter
521610AC	1" NPT mixing valve with gauge adapter, check valves
521616A	Thermostatic Mixing Valve, 1" press with gauge
521616AC	1" press union, check valves, gauge
521617A	1" PEX barb, gauge
521617AC	1" PEX barb, gauge, checks
521618A	Thermostatic Mixing Valve, 1" PEX expansion, gauge
521618AC	Thermostatic Mixing Valve, 1" PEX expansion, gauge, checks
521619A	3-way Thermostatic Mixing Valve 1" SWT w/probe
521619AC	3-way Thermostatic Mixing Valve 1" SWT w/probe, with checks
523160A	3-way Thermostatic Mixing Valve 1" NPT
523166A	1" press
523166A	1" press
523168A	3-way Thermostatic Mixing Valve 1" SWT
523170A	3-way Thermostatic Mixing Valve 1 1/4" NPT
523176A	1-1/4" press
523176A	1-1/4" press
523177A	3-way Thermostatic Mixing Valve 1 1/4" SWT with T/probe
523178A	3-way Thermostatic Mixing Valve 1 1/4" SWT
523179A	3-way Thermostatic Mixing Valve sample casting (new Cu62ATD material)
523180A	3-way Thermostatic Mixing Valve 1 1/2" NPT
523186A	1-1/2" press
523186A	1-1/2" press
523188A	3-way Thermostatic Mixing Valve 1 1/2" SWT
523190A	3-way Thermostatic Mixing Valve 2" NPT
523196A	2" press
523196A	2" press
523198A	3-way Thermostatic Mixing Valve 2" SWT
523199A	3-way Thermostatic Mixing Valve without connections
533340HA	1/2" NPT
533340HA	1/2" NPT
533341HA	1/2" NPT, gauge
533341HA	1/2" NPT, gauge
533350HA	1/2" NPT
533350HA	1/2" NPT

533351HA	1/2" NPT, gauge
533351HA	1/2" NPT, gauge
533442H WMF	1/2"
533442H WMF	1/2"
533444H WMF	1/2"
533444H WMF	1/2"
533449HA	1/2"
533459HA	3/4"
533650HA	3/4" press
533650HA	3/4" press
533651HA	3/4" press, gauge
533651HA	3/4" press, gauge
533750HA	3/4" PEX crimp
533750HA	3/4" PEX crimp
533751HA	3/4" PEX crimp, gauge
533751HA	3/4" PEX crimp, gauge
533850HA	3/4" PEX expansion
533850HA	3/4" PEX expansion
533851HA	3/4" PEX expansion, gauge
533851HA	3/4" PEX expansion, gauge
533940HA	1/2" sweat
533940HA	1/2" sweat
533941HA	1/2" sweat, gauge
533941HA	1/2" sweat, gauge
533950HA	1/2" sweat
533950HA	1/2" sweat
533951HA	1/2" sweat, gauge
533951HA	1/2" sweat, gauge
535320HA 005	1-1/4" FNPT X 1-1/4" PEX exp, 1" body
535321HA 005	1-1/4" FNPT X 1-1/4" PEX exp, 1" body, gauge
535340HA	1/2", FNPT
535341HA	1/2", FNPT, w/gauge
535350HA	3/4", FNPT
535350HA 005	3/4" FNPT X 3/4" PEX exp, 1" body
535351HA	3/4", FNPT, w/gauge
535351HA 005	3/4" FNPT X 3/4" PEX exp, 1" body, gauge
535360HA	1", FNPT
535360HA 005	1"FNPT X 1" PEX exp, 1" body
535361HA	1", FNPT, w/gauge
535361HA 005	1"FNPT X 1" PEX exp, 1" body, gauge
535370HA	1-1/4", FNPT
535371HA	1-1/4", FNPT, w/gauge
535380HA	1-1/2" FNPT
535381HA	1-1/2" FNPT with gauge
535390HA	2" FNPT
535391HA	2" FNPT with gauge
535520HA	1-1/4" PEX exp, 1" body
535521HA	1-1/4" PEX exp, 1" body, gauge
535550HA	3/4" PEX Expansion
535551HA	3/4" PEX Expansion w/Gauge
535560HA	1" PEX Expansion
535561HA	1" PEX Expansion W/gauge
535640HA	1/2" Press
535641HA	1/2" Press w/gauge
535650HA	3/4", Press

535651HA	3/4", Press, w/gauge
535660HA	1", Press
535661HA	1", Press, w/gauge
535670HA	1-1/4", Press
535671HA	1-1/4", Press, w/gauge
535680HA	1-1/2" Press
535681HA	1-1/2" Press w/gauge
535690HA	2" Press
535691HA	2" Press w/gauge
535750HA	3/4" PEX Crimp
535751HA	3/4" PEX Crimp w/gauge
535760HA	1" PEX Crimp
535761HA	1" PEX barb, gauge
535920HA	1-1/4" SWT, 1" body
535921HA	1-1/4" SWT, 1" body, gauge
535940HA	1/2", Sweat
535941HA	1/2", Sweat, w/gauge
535950HA	3/4", Sweat
535951HA	3/4", Sweat, w/gauge
535960HA	1", Sweat
535961HA	1", Sweat, w/gauge
535970HA	1-1/4", Sweat
535971HA	1-1/4", Sweat, w/gauge
535980HA	1-1/2", Sweat
535981HA	1-1/2", Sweat, gauge
535990HA	2", Sweat
535991HA	2", Sweat, gauge
536043A 103	1/2" NPT female 1st stage PRV
536043A 109	1/2" sweat 1st stage PRV
536044A 103	Pressure Reducing Valve, 1/2" NPT female, 10-90 psi
536044A 106	Pressure Reducing Valve, 1/2" press, 10-90 psi
536044A 109	Pressure Reducing Valve, 1/2" sweat, 10-90 psi
536053A 103	3/4" NPT female 1st stage PRV
536053A 106	3/4" press 1st stage PRV
536053A 109	3/4" sweat 1st stage PRV
536054A 103	Pressure Reducing Valve, 3/4" NPT female, 10-90 psi
536054A 106	Pressure Reducing Valve, 3/4" press, 10-90 psi
536054A 109	Pressure Reducing Valve, 3/4" sweat, 10-90 psi
536063A 103	1" NPT female 1st stage PRV
536063A 106	1" press 1st stage PRV
536063A 109	1" sweat 1st stage PRV
536064A 103	Pressure Reducing Valve, 1" NPT female, 10-90 psi
536064A 106	Pressure Reducing Valve, 1" press, 10-90 psi
536064A 109	Pressure Reducing Valve, 1" sweat, 10-90 psi
536073A 103	1-1/4" NPT female 1st stage PRV
536073A 106	1-1/4" press 1st stage PRV
536073A 109	1-1/4" sweat 1st stage PRV
536074A 103	Pressure Reducing Valve, 1-1/4" NPT female, 10-90 psi
536074A 106	Pressure Reducing Valve, 1-1/4" press, 10-90 psi
536074A 109	Pressure Reducing Valve, 1-1/4" sweat, 10-90 psi
536083A 103	1-1/2" NPT female 1st stage PRV
536083A 106	1-1/2" press 1st stage PRV
536083A 109	1-1/2" sweat 1st stage PRV
536084A 103	Pressure Reducing Valve, 1-1/2" NPT female, 10-90 psi
536084A 106	Pressure Reducing Valve, 1-1/2" press, 10-90 psi

536084A 109	Pressure Reducing Valve, 1-1/2" sweat, 10-90 psi
536093A 103	2" NPT female 1st stage PRV
536093A 106	2" press 1st stage PRV
536093A 109	2" sweat 1st stage PRV
573403A	Backflow preventer 1/2" FNPT inlet/outlet
573406A	1/2" press union
573409A	Backflow preventer 1/2" sweat inlet/outlet
573493A	Backflow preventer 1/2" sweat inlet, 1/2" FNPT outlet
573503A	Backflow preventer 3/4" FNPT inlet/outlet
573509A	Backflow preventer 3/4" sweat inlet/outlet
574004A	1/2" RPZ Backflow preventer, NPT female inlet/outlet
574006A	1" RPZ backflow preventer, NPT female inlet/outlet
574050A	3/4" RPZ Backflow preventer, NPT female inlet/outlet
574056A	3/4" RPZ Backflow preventer, Press inlet/outlet
574064A	1/2" RPZ Backflow preventer, Press inlet/outlet
574066A	1" RPZ backflow preventer, Press female inlet/outlet
574700A	1-1/4" RPZ backflow preventer, NPT female inlet/outlet
574706A	1-1/4" RPZ backflow preventer, Press inlet/outlet
574801A	1-1/2" RPZ backflow preventer, NPT female inlet/outlet
574806A	1-1/2" RPZ backflow preventer, Press inlet/outlet
574900A	2" RPZ backflow preventer, NPT female inlet/outlet
574906A	2" RPZ backflow preventer, Press female inlet/outlet
600054A	3/4" NPT male, electronic mixing valve w/controller
600056A	3/4" press, electronic mixing valve w/controller
600059A	3/4" sweat, electronic mixing valve w/controller
600060A	2-1/2", ANSI Flange electronic mixing valve w/controller
600064A	1" MNPT electronic mixing valve w/controller
600064A 001	1" NPT male union, 3/4" body
600066A	1" press electronic mixing valve w/controller
600066A 001	1" press union, 3/4" body
600066A	1" press electronic mixing valve w/controller
600069A	1" sweat electronic mixing valve w/controller
600069A 001	1" sweat union, 3/4" body
600074A	1-1/4" MNPT electronic mixing valve w/controller
600076A	1-1/4" press electronic mixing valve w/controller
600076A	1-1/4" press electronic mixing valve w/controller
600079A	1-1/4" sweat electronic mixing valve w/controller
600080A	3", ANSI Flange electronic mixing valve w/controller
600084A	1-1/2" MNPT electronic mixing valve w/controller
600086A	1-1/2" press electronic mixing valve w/controller
600086A	1-1/2" press electronic mixing valve w/controller
600089A	1-1/2" sweat electronic mixing valve w/controller
600094A	2" MNPT electronic mixing valve w/controller
600096A	2" press electronic mixing valve w/controller
600096A	2" press electronic mixing valve w/controller
600099A	2" sweat electronic mixing valve w/controller
F0000492	1/2" PEX crimp fitting
F0000520	3/4" PEX crimp fitting
F0000521	1" PEX crimp fitting
F0001007	1/2" PEX expansion fitting
F0001008	3/4" PEX expansion fitting
F0001009	1" PEX expansion fitting
NA10056	3/4" sweat tailpiece drywell assembly
NA10058	1" sweat tailpiece drywell assembly
NA10315	1-1/4" sweat tailpiece drywell assembly

NA10328	1/2" sweat tailpiece drywell assembly
NA10354	PT Tap Assembly, 1/2" Sweat
NA10355	PT Tap Assembly, 3/4" Sweat
NA10356	PT Tap Assembly, 1" Sweat
NA10358	1" Gauge adapter assembly
NA10366	Check Valve for 1" and 1-1/4" 5231 mixing valves
NA10367	Check Valve for 1-1/2" and 2" 5231 mixing valves
NA10461	Gauge adapter for 1-1/2" and 2" 5231 mixing valves
NA10467	3/4" MNPT x FNPT check valve assy
NA10469	1/2" MNPT x FNPT check valve assy
NA10476	Gauge adapter for 1" and 1-1/4" 5231
NA10498	Dry Well, Tin Plated
NA10824	1/2" FNPT ball valve low lead
NA10825	3/4" FNPT ball valve low lead
NA10826	1" FNPT ball valve low lead
NA10827	1-1/4" FNPT ball valve low lead
NA10828	1-1/2" FNPT ball valve low lead
NA10829	2" FNPT ball valve low lead
NA502640A	1/2" PLUMBVENT
NA51200	Serviceable low lead check 1"G w/o fittings
NA51240	Serviceable low lead check 1/2" NPT male union
NA51243	Serviceable low lead check 1/2" NPT female union
NA51246	Serviceable low lead check 1/2" press union
NA51247	Serviceable low lead check 1/2" PEX crimp
NA51248	Serviceable low lead check 1/2" PEX expansion
NA51249	Serviceable low lead check 1/2" sweat union
NA51250	Serviceable low lead check 3/4" NPT male union
NA51253	Serviceable low lead check 3/4" NPT female union
NA51256	Serviceable low lead check 3/4" press union
NA51257	Serviceable low lead check 3/4" PEX crimp
NA51258	Serviceable low lead check 3/4" PEX expansion
NA51259	Serviceable low lead check 3/4" sweat union
NA51300	Serviceable low lead check 1.5"G w/o fittings
NA51360	Serviceable low lead check 1" NPT male union
NA51361	Serviceable check, 1" MNPT in, 1" FNPT out
NA51363	Serviceable low lead check 1" NPT female union
NA51366	Serviceable low lead check 1" press union
NA51369	Serviceable low lead check 1" sweat union
NA51370	Serviceable low lead check 1 1/4" NPT male union
NA51371	Serviceable check, 1-1/4" MNPT in, 1-1/4" FNPT out
NA51373	Serviceable low lead check 1-1/4" NPT female union
NA51376	Serviceable low lead check 1-1/4" press union
NA51379	Serviceable low lead check 1 1/4" sweat union
NA51400	Serviceable low lead check 2.5"G w/o fittings
NA51480	Serviceable low lead check 1 1/2" NPT male union
NA51486	Serviceable low lead check 1 1/2" press union
NA51489	Serviceable low lead check 1 1/2" sweat union
NA51490	Serviceable low lead check 2" NPT male union
NA51493	Serviceable low lead check 2" NPT female union
NA51496	Serviceable low lead check 2" press union
NA51499	Serviceable low lead check 2" sweat union
NA533449HA	PressCal™ Compact PRV ASSE 1003, Single Union 1/2" body only+
NA533459HA	Compact PRV ASSE 1003, Single Union 3/4" body only
NA535840HA	1/2" Body
NA535841	1/2" Body w/gauge

NA535850HA	3/4" Body
NA535851HA	3/4" Body w/gauge
NA535860HA	1" Body
NA535861HA	1" Body w/gauge
NA535870HA	1-1/4" Body
NA535871HA	1-1/4" Body w/gauge
NA535880HA	1-1/2" Body
NA535881HA	1-1/2" Body w/gauge
NA535890HA	2" Body
NA535891HA	2" Body w/gauge
Z207411	1/2" NPT zone valve, low lead body
Z207433	Zone valve 2-way 1/2" SWT
Z207533	Zone valve 2-way 3/4" SWT, 3.5 Cv
Z207537	Zone valve 2-way 3/4" SWT
Z307433	Zone valve 2-way 1/2" SWT
Z307537	Zone valve 2-way 3/4" SWT
290030	Isolation ball valve 1" MxF G threads
100001A	PT Test Port, 1-1/2" length, pair

Conditions of listing:

1. The CALEFFI's products recognized in this listing must be installed in accordance with the manufacturer's published installation instructions and the applicable codes.
2. The CALEFFI's products recognized in this listing are manufactured under a quality control program with annual surveillance inspections by ICC-ES.