

CSI: DIVISION: 22 00 00—PLUMBING Section: 22 40 00—Facility Water Distribution Section: 22 09 00—Instrumentation and Control for Plumbing

Product certification system:

The ICC-ES product certification system includes testing samples taken from the market or supplier's stock, or a combination of both, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the supplier's quality system.

- Product: Reduced Pressure Principle Backflow Preventers
- Listee: CALEFFI North America, Inc. 3883 W. Milwaukee Road Milwaukee, WI 53208 www.caleffi.us

Compliance with the following codes:

2024, 2021, 2018, 2015, 2012 and 2009 International Plumbing Code[®] (IPC) 2024, 2021, 2018, 2015, 2012 and 2009 International Residential Code[®] (IRC) 2024, 2021, 2018, 2015, 2012 and 2009 Uniform Plumbing Code[®] (UPC)* 2017 Uniform Illustrated Plumbing Code - India™ (UPC-I)* 2020, 2015, 2010 and 2005 National Plumbing Code of Canada[®] (NPC)** *Copyrighted publication of the International Association of Plumbing and Mechanical Officials **Copyrighted publication of the National Research Council Canada

Compliance with the following standards:

ASSE 1013-2021, Performance Requirements for Reduced Pressure Principle Backflow Preventers and Reduced Pressure Principle Fire Protection Backflow Preventers CSA B64.4-2011(R2021), Reduced Pressure Principle (RP) Backflow Preventers AWWA C511-2017, Reduced Pressure Principle Backflow Prevention Assembly NSF/ANSI/CAN 61-2022, Drinking Water System Components – Health Effects

Identification:

Each device shall have the following information marked on it and all markings shall be visible after installation:

- a) The manufacturer's recognized name, trademark, or other mark
- b) Type (RP or RPF) and Model number
- c) Maximum rated working pressure
- d) Maximum rated temperature
- e) Serial number or other marking consistent with the manufacturer's standard practice
- f) Nominal valve size
- g) Direction of water flow through device

Listings are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the listing or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this listing, or as to any product covered by the listing.



- h) The product standard "CSA B64.4" (Item unique to Canada)
- i) Intended orientation in which they are installed, as follows:
 - H for Horizontal
 - VU for Vertical Up
 - VD for Vertical Down
 - H/VU/VD for devices that can be installed in all positions.
- j) The ICC-ES PMG listing mark

Markings shall be either cast, etched, stamped or engraved on the body of the assembly or on a brass or stainless steel plate securely attached to the assembly with a corrosion resistance means..

Installation:

Products recognized in this listing shall be installed in accordance with the manufacturer's instructions and the applicable codes.

Models:

The Reduced Pressure Principle Backflow Preventers comply with NSF/ANSI/CAN 61 for cold water 73 °F (23°C) applications.

Model No.	Description
574004A	1/2" RPZ backflow preventer, NPT female inlet/outlet
574050A	3/4" RPZ backflow preventer, NPT female inlet/outlet
574006A	1" RPZ backflow preventer, NPT female inlet/outlet
574700A	1-1/4" RPZ backflow preventer, NPT female inlet/outlet
574801A	1-1/2" RPZ backflow preventer, NPT female inlet/outlet
574900A	2" RPZ backflow preventer, NPT female inlet/outlet

Conditions of listing:

- 1. The CALEFFI's products recognized in this listing must be installed in accordance with the manufacturer's published installation instructions and the applicable codes.
- 2. The CALEFFI's products recognized in this listing are manufactured under a quality control program with annual surveillance inspections by ICC-ES.